EXHIBIT 6

Printout of a backup file that was provided to Plaintiffs that underlies SE1, SE3, and SE7

```
 1    clear all
 2    cap restore
 3    set type double
 4    set more off
 5    clear
 6
 7    global root "...\Production for Exhibits for Evidentiary Hearing"
 8    global data "$root\Input"
 9    global input    "$root\Input"
10    global output   "$root\Output"
11
12    set more off
13    clear
14    clear mata
15    clear matrix
16    set maxvar 10000
17    set matsize 5000
18    pause on
19
20    use "$data\Regression Data.dta", clear
21
22    drop zfs_*
23
24    drop month
25    gen month = month(event_date)
26    drop year
27    gen year = year(event_date)
28    replace year = year(event_date) if year == .
29
30    rename compensation fighter_comp
31
32    drop if fighterid == .
33
34    gen US_fight = 1 if CountryName == "USA"
35    egen US_fighter = max(US_fight), by(fighterid)
36    gen US_fighter_comp = fighter_comp if US_fighter == 1
37
38    gen Gender = 1
39    replace Gender = 0 if gender == "F"
40
41    gen winID = 0
42    replace winID = 1 if FightOutcome == "Win" | result == "win"
43
44    sort fighterid event_date FightID
45    by fighterid: gen Wins = sum(winID)
46    by fighterid: gen Fights = _n
47
48    destring Fight_FightOfTheNight Fight_FighterKOOfTheNight Fight_FighterSubmissionOfTheNigh
      Fight_FighterPerformanceOfTheNig, replace
49    replace Fight_FightOfTheNight = 0 if Fight_FightOfTheNight == .
50    replace Fight_FighterKOOfTheNight = 0 if Fight_FighterKOOfTheNight == .
51    replace Fight_FighterSubmissionOfTheNigh = 0 if Fight_FighterSubmissionOfTheNigh == .
52    replace Fight_FighterPerformanceOfTheNig = 0 if Fight_FighterPerformanceOfTheNig == .
53
54    gen ppvid = 0
55    replace ppvid = 1 if ppv != 0 & ppv != .
56
57    gen loaid = 0
58    replace loaid = 1 if loa != 0 & loa !=.
59
60    egen countryid = group(CountryName)
61    egen venueid = group(VenueName)
62
63    bysort eventid: gen fightercount = _N
64
65    egen currentrank = rowmin(rank*)
66
67    replace currentrank = 0 if currentrank == .
68    gen hasrank = 0
69    replace hasrank = 1 if currentrank != 0
```

```
 70
 71    label define weightids 1 "Weightclass: Heavyweight (UFC)" 2 "Weightclass: Light Heavyweight
       (UFC)" 3 "Weightclass: Middleweight (UFC)" 4 "Weightclass: Welterweight (UFC)" 5
       "Weightclass: Lightweight (UFC/WEC)" 6 "Weightclass: Featherweight (UFC/WEC)" 7
       "Weightclass: Bantamweight (UFC/WEC)" 8 "Weightclass: Flyweight (UFC/WEC)" 13 "Weightclass:
       Catch Weight" 22 "Middleweight - Old UFC" 24 "Weightclass: Women's Featherweight
       (Strikeforce)" 25 "Weightclass: Women's Bantamweight (UFC)" 32 "Weightclass: Women's
       Strawweight (UFC)"
 72    label values WeightClassID weightids
 73
 74    gen pay_ratio = fighter_comp/event_totalrevenues
 75    drop if pay_ratio==0
 76    drop if pay_ratio==.
 77
 78    sort fighterid zuffa_owned event_date FightID
 79    by fighterid zuffa_owned: gen bout_num= _n
 80
 81    gen trend = event_date/1000
 82    gen odds = -1*Fight_FighterOdds/100
 83
 84    gen strike_perc = Bout_TotalStrikesLanded/Bout_TotalStrikesAttempted
 85    replace strike_perc = 0 if Bout_TotalStrikesAttempted ==0
 86    gen sig_strike_perce = Bout_SigStrikesLanded/Bout_SigStrikesAttempted
 87    replace sig_strike_perc = 0 if Bout_SigStrikesAttempted ==0
 88    gen td_perc = Bout_TakedownsLanded/Bout_TakedownsAttempted
 89    replace td_perc = 0 if Bout_TakedownsAttempted==0
 90
 91    global FM_1 = "Bout_KnockDowns Bout_TotalStrikesLanded Bout_TotalStrikesAttempted
       strike_perc Bout_SigStrikesLanded Bout_SigStrikesAttempted sig_strike_perc"
 92    global FM_2 = "Bout_TakedownsLanded Bout_TakedownsAttempted td_perc
       Bout_SubmissionsAttempted Bout_OffensivePasses  Bout_Sweeps"
 93    global FM_data ="$FM_1 $FM_2"
 94
 95    tab FightMethod, gen(end_type)
 96    rename end_type1  Could_Not_Continue
 97    rename end_type2  DQ
 98    rename end_type3  Dec_Major
 99    rename end_type4  Dec_Splt
100    rename end_type5  Dec_Unan
101    rename end_type6  KO_TKO
102    rename end_type7  Overturned
103    rename end_type8  Sub
104    rename end_type9  TKO_DR
105
106    global win_method "Could_Not_Continue DQ Dec_Major Dec_Splt Dec_Unan KO_TKO Overturned Sub
       TKO_DR"
107
108    replace organization = "STRIKEFORCE" if zuffa_owned==0
109
110    tab organiz, gen(org_ind)
111    rename org_ind1 STRIKEFORCE
112    rename org_ind2 UFC
113    rename org_ind3 WEC
114
115    gen SF_pre = 0
116    replace SF_pre = 1 if STRIKEFORCE==1 & zuffa_owned==0
117
118    global organiz "STRIKEFORCE UFC WEC"
119    global initial_controls "winID hasrank currentrank loaid ppvid Wins Fights"
120    global End_Vars "Fight_EndingRoundNum $win_method"
121    global FOTN "Fight_FightOfTheNight Fight_FighterKOOfTheNight
       Fight_FighterSubmissionOfTheNigh Fight_FighterPerformanceOfTheNig"
122    global fixed_effects "Gender i.WeightClassID i.Fight_DisplayOrder i.bout_num i.year
       i.countryid i.venueid $organiz"
123    global varlist "$initial_controls $FOTN $End_Vars $FM_data $fixed_effects trend"
124
125    tab eventid if pay_ratio > 1
126    drop if pay_ratio > 1
127
128    gsort fighterid event_date FightID
```

```stata
129    by fighterid: gen counter = _n
130    tsset fighterid counter
131    drop counter
132
133    gen post_SF=(organization=="STRIKEFORCE" & zuffa_owned==1)
134
135    gen FS = tfs_rYRL_World_dFMp_R9_t30
136    replace FS = 0 if zuffa_owned == 0
137
138    gen FS_alt1 = tfs_rYRL_World_dFMrA_R9_t30
139    replace FS_alt1 = 0 if zuffa_owned == 0
140
141    gen FS_alt2 = tfs_rYRL_World_dr15m_R9_t30
142    replace FS_alt2 = 0 if zuffa_owned == 0
143
144
145    ************************
146    **** Exhibit 1
147    ************************
148
149    preserve
150    xtreg pay_ratio FS_alt1 $varlist, fe robust
151    keep if e(sample)
152    keep if STRIKEFORCE==1
153    gen n=1
154    collapse (sum) n (mean) FS FS_alt1 FS_alt2 pay_ratio, by(zuffa_owned)
155    export excel using "$output\Exhibit 1.xlsx", sheet("Summary Table") sheetreplace firstrow(
       variables)
156    restore
157
158    preserve
159    xtreg pay_ratio FS_alt1 $varlist, fe robust
160    keep if e(sample)
161    keep if STRIKEFORCE==1
162    keep pay_ratio FS_alt1 zuffa_owned
163    gen pay_ratio_pre=pay_ratio if zuffa_owned==0
164    gen pay_ratio_post=pay_ratio if zuffa_owned==1
165    gen FS_alt1_pre=FS_alt1 if zuffa_owned==0
166    gen FS_alt1_post=FS_alt1 if zuffa_owned==1
167    drop pay_ratio FS_alt1
168    sort zuffa_owned
169    order FS_alt1_pre pay_ratio_pre FS_alt1_post pay_ratio_post zuffa_owned
170    export excel using "$output\Exhibit 1.xlsx", sheet("Bouts") sheetmodify firstrow(variables)
171    restore
172
173
174    ************************
175    **** Exhibit 3
176    ************************
177
178
179    preserve
180
181    xtreg pay_ratio FS_alt1 $varlist, fe robust
182    keep if e(sample)
183    keep if organization=="UFC"
184
185    bys year: egen mean_pay_ratio=mean(pay_ratio)
186    bys year: egen mean_fs=mean(FS)
187    bys year: egen mean_fs_alt1=mean(FS_alt1)
188
189    bys fighterid: gen temp=_N
190    keep if temp>1
191
192    bys fighterid: egen pay_ratio_mean=mean(pay_ratio)
193    bys fighterid: egen fs_alt1_mean=mean(FS_alt1)
194    bys fighterid: egen fs_mean=mean(FS)
195
196    gen dev_pay_ratio=pay_ratio-pay_ratio_mean
197    gen dev_fs_alt1=FS_alt1-fs_alt1_mean
```

```
198    gen dev_fs=FS-fs_mean
199
200    collapse (mean) mean_pay_ratio mean_fs mean_fs_alt1 dev_pay_ratio dev_fs dev_fs_alt1, by(
       year)
201
202    sort year
203    order year dev_pay_ratio dev_fs dev_fs_alt1
204    export excel using "$output\Exhibit 3.xlsx", sheet("deviations") sheetreplace firstrow(
       variables)
205
206    restore
207
208
209    preserve
210
211    gen year0=year
212    levelsof year, local(list)
213    foreach yy in `list' {
214    gen yy__`yy'=(year==`yy')
215    }
216    replace year=0
217
218    xtreg pay_ratio FS_alt1 yy__* $varlist, fe robust
219    keep if e(sample)
220
221    sum year0 if e(sample)
222    local y0=r(min)
223
224    gen pay_ratio_hat_alt1=FS_alt1*_b[FS_alt1]+trend*_b[trend]
225    foreach yy in `list' {
226    replace pay_ratio_hat_alt1=pay_ratio_hat_alt1+_b[yy__`yy']*(year0==`yy')
227    }
228
229    sum pay_ratio if organization=="UFC" & year0==`y0'
230    local a=r(mean)
231    sum pay_ratio_hat_alt1 if organization=="UFC" & year0==`y0'
232    replace pay_ratio_hat_alt1=pay_ratio_hat_alt1+`a'-r(mean)
233
234    xtreg pay_ratio FS yy__* $varlist, fe robust
235    keep if e(sample)
236
237    gen pay_ratio_hat=FS*_b[FS]+trend*_b[trend]
238    foreach yy in `list' {
239    replace pay_ratio_hat=pay_ratio_hat+_b[yy__`yy']*(year0==`yy')
240    }
241
242    sum pay_ratio if organization=="UFC" & year0==`y0'
243    local a=r(mean)
244    sum pay_ratio_hat if organization=="UFC" & year0==`y0'
245    replace pay_ratio_hat=pay_ratio_hat+`a'-r(mean)
246
247    keep if organization=="UFC"
248    collapse (mean) pay_ratio_hat pay_ratio_hat_alt1, by(year0)
249    sort year0
250    order year0 pay_ratio_hat pay_ratio_hat_alt1
251    export excel using "$output\Exhibit 3.xlsx", sheet("predicted pay ratio") sheetreplace
       firstrow(variables)
252
253    restore
254
255    ************************
256    **** Exhibit 7
257    ************************
258
259    preserve
260
261    bys eventid: egen event_ccc=sum(fighter_comp)
262    gen event_wage_share=event_ccc/event_totalrevenues
263
264    xtreg pay_ratio FS_alt1 $varlist, fe robust
```

```
265    gen temp=(e(sample))
266    bys eventid: egen event_nn=sum(temp)
267
268    keep if organization=="STRIKEFORCE"
269
270    keep event_date event_wage_share event_nn
271    duplicates drop
272    sort event_date
273
274    export excel using "$output\Exhibit 7.xlsx", sheet("data") sheetmodify
275
276    restore
277
278    clear
279
280
281
282
283
284
285
286
287
288
289
```